

PATENT

DOCKET UMICORE 0158-US

118320.2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: OSCHMANN, Heiko
Serial No.: 10/572,652
Filed: March 20, 2006
Based on International Application No.: PCT/EP2004/010501
For: Catalyst-Coated Membrane with Integrated Sealing Material and
Membrane-Electrode Assembly Produced Therefrom
Customer No.: 23719

Kalow & Springut LLP
488 Madison Avenue, 19th Floor
New York, New York 10022

August 4, 2006

Mail Stop PCT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**CHANGE OF CORRESPONDENCE ADDRESS AND TRANSMITTAL OF
SUPPLEMENTAL APPLICATION DATA SHEET**

SIR:

Applicant's attorney hereby requests that the United States Patent and Trademark Office (USPTO) correct in its records the correspondence address for the above-identified application in accordance with the following:

ERRONEOUS INFORMATION

Milton Springut, Esq.
Kalow & Springut LLP
488 Madison Avenue, 19th Floor
New York, NY 10022
(212) 813-1600

CORRECT INFORMATION

John J. Santalone
Kalow & Springut LLP
488 Madison Avenue, 19th Floor
New York, NY 10022
(212) 813-1600

Certificate of First Class Mail Under 37 C.F.R. § 1.10

I hereby declare that on the date indicated below, this correspondence is being deposited with the United States Postal Service via First Class Mail in an envelope addressed to: Mail Stop PCT, Commissioner for Patents, P.O. Box 1450, Alexandria, VA, 22313-1450 on the date shown below.

Sharon White-McAskey (Signature) Sharon White-McAskey (Printed Name of Person Signing Certificate) 8/4/06 (Date)

118320.2

Applicant: OSCHMANN, Heiko
Serial No.: 10/572,652
Based On Int'l Appl. No.: PCT/EP2004/010501
Filing Date: March 20, 2006
Change of Correspondence Address and Supplemental Application Date Sheet
August 4, 2006
Page 2 of 2

Applicant draws your attention to the address of the erroneous information and the correct information being identical, but respectfully request that all future correspondence issued in connection with this case be sent to the attention of **John J. Santalone**.


Applicant also submits a Supplemental Application Data Sheet reflecting a correction in the Suggested Drawing Figure. Applicant requests that the Initial Application Data Sheet, filed in this application on March 20, 2006, be replaced with the enclosed Supplemental Application Data Sheet, which contains markings showing the changes made. The Supplemental Application Data Sheet contains no new matter.

Accordingly, please amend the records of the USPTO in connection with this application to reflect the correct information (*i.e.*, change of correspondence attorney from Milton Springut to John J. Santalone and change of drawing figure from **Figure 1** to **Figure 2C**) as provided for in the enclosed Supplemental Application Data Sheet reflecting these corrections.

Applicants submit that no fee is believed to be due in connection with the filing of this request. If any fees are due, or an overpayment has been made, please charge, or credit, our Deposit Account No. 11-0171 for such sum.

If the Examiner has any questions regarding the present application, the Examiner is cordially invited to contact Applicant's attorney at the telephone number provided below.

Respectfully submitted,


John J. Santalone
Registration No.: 32,794
Attorney for Applicants

Kalow & Springut LLP
Telephone No.: (212) 813-1600